

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A **UFI: DVTN-H0W4-9P0J-HA2J****1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Adhesive mortar for fastening elements A-component (resin)

**Uses advised against**

no restriction

**1.3. Details of the supplier of the safety data sheet**

Company name: EJOT SORMAT Oy  
Street: Vähäkorventie 10  
Place: FI-21250 Masku  
Telephone: +358 207 940 200  
e-mail: infoFI@ejot.com  
Internet: www.ejot.fi  
Responsible Department: Technical information: infoFI@ejot.com

**1.4. Emergency telephone number:**

Poison Information Center and Clinical Toxicology, Mainz Tel.: +49 (0) 6131 19240 (in English)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May cause an allergic skin reaction.

May cause respiratory irritation.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

Ethylene dimethacrylate;

Methacrylic acid, monoester with propane-1,2-diol

**Signal word:** Warning**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

**Precautionary statements**

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

according to Regulation (EC) No 1907/2006

## ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A

Revision date: 30.12.2022

Page 2 of 11

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

### Additional advice on labelling

For distribution to the general public:  
 P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of the reach of children.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
97-90-5	Ethylene dimethacrylate			10 - < 15 %
	202-617-2	607-114-00-5	01-2119965172-38	
	Skin Sens. 1, STOT SE 3; H317 H335			
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			5 - < 10 %
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H319 H317			
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol			< 1 %
	254-075-1		01-2119980937-17	
	Acute Tox. 2, Aquatic Chronic 3; H300 H412			
6846-50-0	1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate			< 1 %
	229-934-9		01-2119451093-47	
	Repr. 2, Aquatic Chronic 3; H361d H412			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 3 of 11

**4.2. Most important symptoms and effects, both acute and delayed**

May cause an allergic skin reaction.  
May cause respiratory irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Foam.  
Extinguishing powder  
Water spray jet  
Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Pyrolysis products, toxic  
Carbon monoxide

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up:  
Sand  
Treat the recovered material as prescribed in the section on waste disposal.  
Retain contaminated washing water and dispose it.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only outdoors or in a well-ventilated area.  
Wear personal protection equipment (refer to section 8).  
Avoid contact with skin, eyes and clothes.  
When using do not eat, drink or smoke.  
Wash hands thoroughly after handling.

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 4 of 11

Take off contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Keep container tightly closed.
- Store in a place accessible by authorized persons only.
- Keep only in the original container in a cool, well-ventilated place.

**Hints on joint storage**

- Do not use for products which come into contact with the food stuffs.

**Further information on storage conditions**

- storage temperature: 5 - 25°C

**7.3. Specific end use(s)**

- Adhesive mortar for fastening elements A-component (resin)

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			
Worker DNEL, long-term		inhalation	systemic	14,7 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	4,2 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	8,8 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol			
Worker DNEL, long-term		inhalation	systemic	2 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,6 mg/kg bw/day

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 5 of 11

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	
Freshwater		0,904 mg/l
Marine water		0,904 mg/l
Freshwater sediment		6,28 mg/kg
Marine sediment		6,28 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,727 mg/kg
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	
Freshwater		0,017 mg/l
Marine water		0,0017 mg/l
Freshwater sediment		0,0782 mg/kg
Marine sediment		0,00782 mg/kg
Micro-organisms in sewage treatment plants (STP)		199,5 mg/l
Soil		0,005 mg/kg
6846-50-0	1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate	
Freshwater		0,014 mg/l
Marine water		,0014 mg/l
Freshwater sediment		1,15 mg/kg

**Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls**



**Appropriate engineering controls**

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

**Protective and hygiene measures**

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

**Eye/face protection**

Wear eye protection/face protection. Safety goggles with side shields are recommended.

**Hand protection**

Recommended material: NBR (Nitrile rubber)  
 Breakthrough time: > 480 min  
 Thickness of the glove material: 0,5 mm  
 DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 6 of 11

gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles)

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	light beige	
pH-Value:		not determined

#### Changes in the physical state

Melting point:		not determined
Initial boiling point and boiling range:		not determined
Flash point:		not applicable

#### Flammability

Solid:		not determined
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined

#### Auto-ignition temperature

Solid:		not determined
Gas:		not applicable
Decomposition temperature:		not determined

#### Oxidizing properties

Not oxidising.		
Vapour pressure:		not determined
Density (at 20 °C):		1,71 g/cm <sup>3</sup>
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	

#### Solubility in other solvents

not determined		
Partition coefficient:		not determined
Vapour density:		not determined
Evaporation rate:		not determined

### 9.2. Other information

Solid content:		not determined
----------------	--	----------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 7 of 11

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Response: Oxidising agent, strong

### 10.4. Conditions to avoid

Heat. Keep cool. Protect from sunlight.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
97-90-5	Ethylene dimethacrylate				
	oral	LD50 mg/kg	8700	Rat	
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
	oral	LD50 mg/kg	11200	Rat	
	dermal	LD50 mg/kg	> 5000	Rabbit	
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol				
	oral	LD50 mg/kg	27,5	Rat	
6846-50-0	1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate				
	oral	LD50 mg/kg	3200	Rat	
	dermal	LD50 mg/kg	18900	Guinea pig	

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A

Revision date: 30.12.2022

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
97-90-5	Ethylene dimethacrylate					
	Crustacea toxicity	NOEC	13,2 mg/l	2 d		
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol					
	Acute fish toxicity	LC50	379 mg/l	96 h		
	Acute crustacea toxicity	EC50	>143 mg/l	48 h		
	Algea toxicity	NOEC	>97,2 mg/l	3 d		
	Crustacea toxicity	NOEC	45,2 mg/l	21 d		

#### **12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
	OECD 310	81%	28		

#### **12.3. Bioaccumulative potential**

The product has not been tested.

#### **Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	2,1

#### **12.4. Mobility in soil**

The product has not been tested.

#### **12.5. Results of PBT and vPvB assessment**

The product has not been tested.

#### **12.6. Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Advice on disposal**

The following waste code numbers from the European Waste Catalog (EWC) are considered as recommendations. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

##### **Waste disposal number of waste from residues/unused products**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 9 of 11

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

### Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 10 of 11

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)  
(SEVESO III):**Additional information**

VOC content: 6,9 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	1 - slightly water contaminating
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1.3 (Details of supplier of SDS).

**Abbreviations and acronyms**

ADN: Accord européen relatif au transport international des marchandises Dangereuses par voie de Navigation (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)  
ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
CAS: Chemical Abstracts Service  
CLP: Classification, Labeling and Packaging  
DMEL: Derived Minimal Effect level  
DNEL: Derived No Effect Level  
EC50: Effective concentration, 50%  
ErC50: EC50 in terms of reduction of growth rate  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)  
IMDG: International Maritime Code for Dangerous Goods  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
NOEC: No Observed Effect Concentration  
OECD: Organisation for Economic Co-operation and Development  
PBT: persistent, bioaccumulative and toxic  
vPvB: very persistent and very bioaccumulative  
PNEC: Predicted No Effect Concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)  
VOC: Volatile organic compound  
Acute Tox. 2: Acute toxicity, Category 2  
Aquatic Chronic 3: Long-term aquatic hazard, Category 3  
Eye Irrit. 2: Serious eye damage/eye irritation, Category 2  
Skin Sens. 1: Skin sensitization, Category 1  
STOT SE 3: Specific target organ toxicity (single exposure), Category 3

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. A**

Revision date: 30.12.2022

Page 11 of 11

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method

**Relevant H and EUH statements (number and full text)**

H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B      **UFI: 0YTN-10KH-MP01-6NNM**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

compound mortar B-component (hardener)

##### Uses advised against

no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name: EJOT SORMAT Oy  
Street: Vähäkorventie 10  
Place: FI-21250 Masku  
Telephone: +358 207 940 200  
e-mail: infoFI@ejot.com  
Internet: www.ejot.fi  
Responsible Department: Technical information: infoFI@ejot.com

#### 1.4. Emergency telephone number:

Poison Information Center and Clinical Toxicology, Mainz Tel.: +49 (0) 6131 19240  
(in English)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes serious eye irritation.

May cause an allergic skin reaction.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

Dibenzoyl peroxide

**Signal word:** Warning**Pictograms:**

##### Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

##### Precautionary statements

P261 Avoid breathing vapour.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B

Revision date: 30.12.2022

Page 2 of 10

P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

#### Additional advice on labelling

For distribution to the general public:  
 P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of the reach of children.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
94-36-0	Dibenzoyl peroxide			10 - < 15 %
	202-327-6	617-008-00-0	01-2119511472-50	
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H241 H319 H317 H400 H410			

Full text of H and EUH statements: see section 16.

#### Further Information

The product has been tested for aquatic toxicity. The tests show no need for classification of the product as toxic and harmful to aquatic life. Test reports are available.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

##### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.  
 Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 3 of 10

**5.1. Extinguishing media****Suitable extinguishing media**

Foam.  
Extinguishing powder  
Water spray jet  
Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Pyrolysis products, toxic  
Carbon monoxide

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.  
Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up:  
Sand  
Treat the recovered material as prescribed in the section on waste disposal.  
Retain contaminated washing water and dispose it.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only outdoors or in a well-ventilated area.  
Wear personal protection equipment (refer to section 8).  
Avoid contact with skin, eyes and clothes.  
When using do not eat, drink or smoke.  
Wash hands thoroughly after handling.  
Take off contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.  
Store in a place accessible by authorized persons only.  
Keep only in the original container in a cool, well-ventilated place.

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 4 of 10

**Hints on joint storage**

Do not store together with: Oxidising agent, strong  
Do not use for products which come into contact with the food stuffs.

**Further information on storage conditions**

Keep container tightly closed in a cool place.  
storage temperature: 5 - 25°C

**7.3. Specific end use(s)**

see section 1.2

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
94-36-0	Dibenzoyl peroxide			
Consumer DNEL, long-term		oral	systemic	2 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	13,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	39 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Value
94-36-0	Dibenzoyl peroxide	
Freshwater		0,00002 mg/l
Marine water		0,000002 mg/l
Freshwater sediment		0,013 mg/kg
Marine sediment		0,001 mg/kg

**8.2. Exposure controls**



**Appropriate engineering controls**

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

**Protective and hygiene measures**

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat or drink.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 5 of 10

### Eye/face protection

Wear eye protection/face protection. Safety goggles with side shields are recommended.

### Hand protection

Recommended material: NBR (Nitrile rubber)

Breakthrough time: > 480 min

Thickness of the glove material: 0,5 mm

DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles)

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	black	
Odour:	characteristic	
pH-Value:		not applicable

### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not applicable

### Flammability

Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

### Auto-ignition temperature

Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined

### Oxidizing properties

Not oxidising.	
Available oxygen content (%) < 1% no classification	
Vapour pressure:	not determined
Density (at 20 °C):	1,59 g/cm <sup>3</sup>
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.

### Solubility in other solvents

not determined



according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 6 of 10

Partition coefficient: not determined  
 Vapour density: not determined  
 Evaporation rate: not determined

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

see section 10.3

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Violent reaction with: Oxidising agent

**10.4. Conditions to avoid**

see section 7.2

**10.5. Incompatible materials**

Oxidising agent, strong

**10.6. Hazardous decomposition products**

Benzoic acid  
 Benzene  
 Biphenyl

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
94-36-0	Dibenzoyl peroxide				
	oral	LD50 >5000 mg/kg	Rat		

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information**

**12.1. Toxicity**

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus )  
 IC10: (0 - 72 h) = 30 mg/l  
 IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna)  
 EC0/NOEC (48h) = 100 mg/l  
 EC50 (48h) = >500 mg/l  
 EC100 (48h) = >>500 mg/l

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B

Revision date: 30.12.2022

Page 7 of 10

OECD 203 (Danio rerio)  
 LC0/NOEC : 250 mg/l  
 LC50 : > 500 mg/l  
 LC100 : >> 500 mg/l

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
94-36-0	Dibenzoyl peroxide					
	Acute fish toxicity	LC50 mg/l	0,0602	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203
	Acute algae toxicity	ErC50 mg/l	0,0711	72 h	Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50	0,11 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
	Algae toxicity	NOEC	0,02 mg/l	3 d	Pseudokirchneriella subcapitata	OECD 201
	Crustacea toxicity	NOEC mg/l	0,001	21 d	Daphnia magna (Big water flea)	OECD 211
	Acute bacteria toxicity	(35 mg/l)		0,5 h		OECD 209

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
94-36-0	Dibenzoyl peroxide			
	OECD 301D	71%	28	
	Readily biodegradable (according to OECD criteria).			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
94-36-0	Dibenzoyl peroxide	3,2

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

The following waste code numbers from the European Waste Catalog (EWC) are considered as recommendations. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 8 of 10

allow to enter into soil/subsoil.

**Waste disposal number of waste from residues/unused products**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

**Waste disposal number of used product**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

**Waste disposal number of contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 9 of 10

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

VOC content: 4,3 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	1 - slightly water contaminating
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1.3 (Details of supplier of SDS).

**Abbreviations and acronyms**

ADN: Accord européen relatif au transport international des marchandises Dangereuses par voie de Navigation (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)  
ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
CAS: Chemical Abstracts Service  
CLP: Classification, Labeling and Packaging  
DMEL: Derived Minimal Effect level  
DNEL: Derived No Effect Level  
EC50: Effective concentration, 50%  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)  
ICAO: International Civil Aviation Organization  
IC50: Inhibitory concentration, 50%  
IMDG: International Maritime Code for Dangerous Goods  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
NOEC: No Observed Effect Concentration  
OECD: Organisation for Economic Co-operation and Development  
PBT: persistent, bioaccumulative and toxic  
vPvB: very persistent and very bioaccumulative  
PNEC: Predicted No Effect Concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)  
VOC: Volatile organic compound  
Aquatic Acute 1: Acute aquatic hazard, Category 1  
Aquatic Chronic 1: Long-term aquatic hazard, Category 1

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ITH-Ve Vinylester Resin (ITH 280 Ve (9640072949), ITH 300 Ve (9640072944), ITH 345 Ve (9640072913), ITH 410 Ve (9640072901)), Comp. B**

Revision date: 30.12.2022

Page 10 of 10

Eye Irrit. 2: Serious eye damage/eye irritation, Category 2

Skin Sens. 1: Skin sensitization, Category 1

Org. Perox. B: Organic Peroxides, Type B

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method

**Relevant H and EUH statements (number and full text)**

H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*